



Safety Data Sheet

Prepared according to US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)
and Canadian 2015 Workplace Hazardous Materials Information System (WHMIS)

Revision Date 20-May-2020

Revision Number 3

1. IDENTIFICATION

Product Identifier

Product Name SWEPCO 308 Premium Plus Engine Oil

Other means of identification

Product Code W30056

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Lubricant

Uses advised against Any non-label use

Details of the supplier of the safety data sheet

Southwestern Petroleum Corporation	Southwestern Petroleum Canada Ltd
534 North Main St	87 West Drive
Fort Worth, TX 76106 USA	Brampton, ON L6T 2J6 USA
Phone: 1-800-877-9372	Phone: 905-457-0511
Web: www.swepcousa.com	Web: www.swepcousa.com

Emergency Telephone Number

Chemtrec 1-800-424-9300 in US; Canutec 1-613-996-6666 in Canada.

2. HAZARDS IDENTIFICATION

Classification

The ingredients in this product mixture have been evaluated and classified according to the hazard classification requirements of 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and 2015 Canadian WHMIS Standard. The resulting hazard classification(s) and required label elements are reported in this section.

Label elements

Product Name SWEPCO 308 Premium Plus Engine Oil

Signal Word None

Hazard statements None.

Pictograms

Hazards not otherwise classified (HNOC) None known based upon available information.

Other Information

Other hazards Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

Unknown acute toxicity 22.014% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Family Petroleum hydrocarbon.

Chemical Name	CAS-No	Weight %	Trade Secret
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	10 - 20%	*
Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene	68921-45-9	0 - 10%	*
Calcium petroleum sulfonate	61789-86-4	0 - 10%	*
2,5-Furandione, 3-(hexadecenyl)dihydro-	32072-96-1	0 - 10%	*
Non-Hazardous/Non-Toxic Component	-	10 - 20%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin Contact	Wash off with warm water and soap. In the case of skin irritation or allergic reactions see a physician. Remove and wash contaminated clothing before re-use.
Inhalation	Move to fresh air. Administer oxygen if breathing is difficult.
Ingestion	Clean mouth with water and afterwards drink plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No other information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Dry chemical or CO₂. Cool containers with flooding quantities of water until well after fire is out.

Unsuitable Extinguishing Media Do not scatter spilled material with high pressure water streams.

Specific Hazards Arising from the Chemical

No other information available.

Hazardous Combustion Products Hydrocarbons. Carbon monoxide. Hydrogen sulfide (H₂S) may be produced above 250° F (121° C).

Explosion Data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Protective Equipment and Precautions for Firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Remove all sources of ignition.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Pick up and transfer to properly labelled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Exposure limits of this complete mixture have not been evaluated. If information is available on any of the individual components of the mixture, it is presented in the table below. Keep in mind, however, that these exposure levels are for pure concentrations of these ingredients. If no table appears below, none of the components represent a hazard or occupational exposure limits have not been established or occupational exposure limits are not known for any of the ingredients in this product:

Appropriate engineering controls

Use in well-ventilated area. If user operations generate an oil mist, use process enclosures, local exhaust ventilation or other engineering controls to control airborne levels below the recommended mineral oil mist exposure limits (ACGIH TLV TWA: 5 mg/m³; ACGIH TLV STEL: 10 mg/m³; OSHA PEL TWA: 5 mg/m³).

Individual protection measures, such as personal protective equipment

Eye/face Protection Safety glasses with side-shields.

Skin and body protection Suitable protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations When using, do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid
Color	Purple
Odor	Petroleum distillates
Odor Threshold	No other information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No other information available	
Melting point / freezing point	No other information available	
Boiling Point/Range	293 °C	
Flash Point	179 °C	
Evaporation Rate	No other information available	
Flammability (solid, gas)	No other information available	
Flammability Limit in Air		
Upper flammability limit:	7.0	
Lower flammability limit:	0.9	
Vapor pressure	No other information available	
Vapor Density	> 5	
Relative density	0.9	
Water Solubility	No other information available	
Solubility in other solvents	No other information available	
Partition coefficient	No other information available	
Autoignition Temperature	260 °C	
Decomposition temperature		
Kinematic viscosity @40C	No other information available	
Dynamic viscosity	No other information available	
Explosive Properties	No other information available	
Oxidizing Properties	No other information available	

Other Information

Softening Point	No other information available
Molecular Weight	No other information available
Volatiles, % Vol	No other information available
Density	No other information available
Bulk Density	No other information available

10. STABILITY AND REACTIVITY

Reactivity

None under normal use conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal use conditions.
Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

Hydrocarbons. Carbon monoxide. Hydrogen sulfide (H₂S) may be produced above 250° F (121° C).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principle Routes of Exposure Skin contact. Eye contact.

Product Information Toxicity of this complete mixture has not been evaluated. If information is available on any of the individual components of the mixture, it is presented in this section. If no information appears in this section, there is no toxicological information available for any of the components of the mixture.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium petroleum sulfonate 61789-86-4	> 5000 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	-
2,5-Furandione, 3-(hexadecenyl)dihydro- 32072-96-1	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-

Information on toxicological effects

Eye Contact Contact with eyes may cause irritation.

Skin Contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Inhalation Avoid breathing of vapors or spray mist. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limits (ACGIH TLV TWA: 5 mg/m³; ACGIH TLV STEL: 10 mg/m³; OSHA PEL TWA: 5 mg/m³).

Ingestion May be harmful if swallowed. Potential for aspiration if swallowed. Not an expected route of exposure. Aspiration may cause pulmonary edema and pneumonitis.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No other information available.

Mutagenic Effects No other information available.

Carcinogenicity The table below indicates if any agency has listed any ingredient of this product as a carcinogen. If no table appears, no toxicological information was found.

Chemical Name	ACGIH	IARC	NTP Carc	OSHA
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	-	Group 1	-	-

Reproductive Effects No other information available.

STOT - single exposure No other information available.

STOT - repeated exposure No other information available.

Chronic Toxicity Reports have associated repeated and prolonged occupational overexposure to petroleum based products with liver, kidney, brain and nervous system damage. There is, however, no reported human evidence that these effects occur when exposure is maintained below OSHA and ACGIH limits

Aspiration hazard No other information available.

Numerical measures of toxicity

ATEmix (dermal) 96,279.00

12. ECOLOGICAL INFORMATION**Ecotoxicity**

If ecotoxicity data is available on any of the components of this product, the data will be presented in the table below. If there is no

table, there is no data available on any of the components of this product.

22.014 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Freshwater Fish	Water Flea
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Calcium petroleum sulfonate 61789-86-4	-	5.7 - 9.7: 96 h Pimephales promelas mg/L LC50 static 1.0 - 10.0: 96 h Pimephales promelas mg/L LC50 semi-static	6.2 - 12: 48 h Daphnia magna mg/L EC50
2,5-Furandione, 3-(hexadecenyl)dihydro- 32072-96-1	-	1000: 96 h Cyprinodon variegatus mg/L LC50	169: 96 h Mysidopsis bahia mg/L EC50

Persistence/Degradability

No other information available.

Bioaccumulation/ Accumulation

If bioaccumulation data is available on any of the components of this product, the data will be presented in the table below. If there is no table, there is no data available on any of the components of this product.

Mobility in Environmental Media

If mobility data is available on any of the components of this product, the data will be presented in the table below. If there is no table, there is no data available on any of the components of this product.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method

Dispose of in accordance with Federal, state and local regulations.

Contaminated Packaging

Do not re-use empty containers.

US EPA Waste Number

Not applicable

RCRA

Subtitle C of the Resource Conservation and Recovery Act (RCRA) requires disclosure of any components of this mixture that are defined as hazardous waste by the Act. If any ingredients in this product are considered hazardous waste, they will be listed in the table below. If there is no table, there are no hazardous waste components in this product.

California Waste Status

If this product contains one or more substances that are listed with the State of California as a hazardous waste, data will be listed in the table below. If there is no table, there is no data available.

14. TRANSPORT INFORMATION

DOT

Not regulated

TDG

Not regulated

MEX

Not regulated

ICAO

Not regulated

IATA

Not regulated

IMDG/IMO

Not regulated

RID

Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Regulations & Inventories

All of the components in the product are on the following Inventory lists: China (IECSC).

Chemical Name	CAS-No	EINECS	ELINCS	TSCA	FIFRA	DSL	NDSL	PICCS	ENCS	CHINA	AICS	KECL
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	X	-	Present	-	X	-	X	X	X	X	KE-12602 X
Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene	68921-45-9	X	-	Present	-	X	-	X	X	X	X	KE-28306 X
Calcium petroleum sulfonate	61789-86-4	X	-	Present	-	X	-	X	X	X	X	KE-32513 X
2,5-Furandione, 3-(hexadecenyl)dihydro-	32072-96-1	X	-	Present	-	X	-	X	X	X	X	KE-18485 X

X = Listed; XU = Exempt; - = Not Listed

TSCA/FIFRA Does not comply
DSL/NDSL Does not comply
EINECS/ELINCS Does not Comply
ENCS Does not Comply
CHINA Does not Comply
KECL Does not Comply
PICCS Does not Comply
AICS Does not Comply

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) requires reporting of any component of this mixture that is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. If any of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

Clean Water Act

The Clean Water Act (40 CFR 22.21 and 40 CFR 122.42) requires reporting of any component of this mixture designated as a regulated pollutant by the Act. If any of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

CERCLA

The Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) and the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355) require disclosure of any component of this mixture that meets the reporting requirements of these Acts. If any of the ingredients in this product are regulated by one or both of these Acts, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements. There may be specific reporting requirements at the local, regional or state level pertaining to releases of this material.

U.S. Regulations & Inventories

California Proposition 65

California Proposition 65 requires disclosure of ingredients of this mixture that are designated as Proposition 65 substances. If any of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

U.S. State Right-to-Know Regulations

Several states have "State Right-to-Know" regulations requiring disclosure of specific substances. If any of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

U.S. EPA Label Information

EPA Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Regulatory Lists Searched & Other Sources of Information

ACGIH - American Convergence of Governmental Industrial Hygienists
 ADN - European Agreement for International Carriage of Dangerous Goods by Inland Waterways
 ADR - European Agreement for International Carriage of Dangerous Goods by Road
 AICS - Australian Inventory of Chemical Substances
 ANSI - American National Standards Institute
 CAP65 - California Proposition 65 Hazard List
 CAS - Chemical Abstract Services
 CERCLA - Comprehensive Environmental Response, Compensation & Liability Act
 CHINA - China Inventory
 CPR - Canadian Controlled Products Regulations
 DOT - United States Department of Transportation
 DSL - Canada Domestic Substances List
 EINECS - European Union (EU) European Inventory of Existing Commercial Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IARC - International Agency for Research on Cancer
 IATA - International Air Transport Association
 ICAO - International Civil Aviation Organization
 IMDG - International Maritime Dangerous Goods Code
 MARTK - Massachusetts Right To Know List
 NDSL - Canada Non-Domestic Substances List
 NFPA - United States National Fire Protection Association
 NIOSH - United States National Institute for Occupational Safety & Health
 NJRTK - New Jersey Right To Know List
 NTP - United States National Toxicology Program
 OSHA - United States Occupational Safety & Health Administration
 PARTK - Pennsylvania Right To Know List
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 RCRA - United States Resources Conservation & Recovery Act
 RID - European Agreement for International Carriage of Dangerous Goods by Rail
 RIHSL - Rhode Island Hazardous Substance List
 SARA - United States Superfund Amendments & Reauthorization Act
 TDG - Canada Transportation of Dangerous Goods Act
 TSCA - US Toxic Substances Control Act
 WHMIS - Canada Workplace Hazardous Materials Information System

Definitions

EC50 - Effective Concentration (Concentration of a compound where 50% of the expected effect is observed.)
 LC50 - Lethal Concentration (The concentration in water that will kill 50% of the test animals within a specific period of time, usually 96 hours.)
 LD50 - Lethal Dose (The single dose that will kill 50% of the test animals by any route other than inhalation such as by ingestion or skin contact.)
 OEL - Occupational Exposure Limit
 PEL - Permissible Exposure Limits
 STEL - Short Term Exposure Limit
 TLV - Threshold Limit Value
 TWA - Time Weighted Average
 TWAEV - Time Weighted Average Exposure Value

Prepared By Regulatory Compliance Department

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage,

transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS