



# Safety Data Sheet

Prepared according to US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)  
and Canadian 2015 Workplace Hazardous Materials Information System (WHMIS)

Revision Date 27-Jul-2020

Revision Number 4

## 1. IDENTIFICATION

### Product Identifier

**Product Name** SWEPCO 723 HVG Anti-Wear Wire Rope Lubricant

Alternate Product Names: SWEPCO 623 HVG Anti-Wear Wire Rope Lubricant

### Other means of identification

**Product Code** W00723

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Lubricant

**Uses advised against** Any non-label use

### Details of the supplier of the safety data sheet

Southwestern Petroleum Corporation	Southwestern Petroleum Canada Ltd
534 North Main St	87 West Drive
Fort Worth, TX 76106 USA	Brampton, ON L6T 2J6 USA
Phone: 1-800-877-9372	Phone: 905-457-0511
Web: www.swepcousa.com	Web: www.swepcousa.com

### Emergency Telephone Number

Chemtrec 1-800-424-9300 in US; Canutec 1-613-996-6666 in Canada.

## 2. HAZARDS IDENTIFICATION

### Classification

The ingredients in this product mixture have been evaluated and classified according to the hazard classification requirements of 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and 2015 Canadian WHMIS Standard. The resulting hazard classification(s) and required label elements are reported in this section.

### Label elements

**Product Name** SWEPCO 723 HVG Anti-Wear Wire Rope Lubricant

**Signal Word** None

**Hazard statements** None.

**Pictograms**

**Hazards not otherwise classified (HNOC)** No other information available.

### Other Information

**Unknown acute toxicity** 98.8% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Chemical Family

Non-hazardous proprietary mixture. Petroleum hydrocarbon.

Chemical Name	CAS-No	Weight %	Trade Secret
Olefin sulfide	RR-15590-8	0 - 10%	*
Benzenamine, 2-ethyl-N-(2-ethylphenyl)-, (tripropenyl) derivatives	68608-77-5	0 - 10%	*
Polybutene	9003-29-6	90 - 100%	*
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol	91648-65-6	0 - 10%	*
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	0 - 10%	*
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	0 - 10%	*
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	0 - 10%	*
Petroleum distillates, solvent dewaxed light paraffinic	64742-56-9	0 - 10%	*

The product contains no substances which at their given concentration, are considered to be hazardous to health.

### 4. FIRST AID MEASURES

#### Description of first aid measures

<b>Eye Contact</b>	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
<b>Skin Contact</b>	Wash off with warm water and soap. In the case of skin irritation or allergic reactions see a physician. Remove and wash contaminated clothing before re-use.
<b>Inhalation</b>	First aid is not required.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water.

#### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	No other information available.
-----------------	---------------------------------

#### Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Foam. Dry chemical or CO<sub>2</sub>. Cool containers with flooding quantities of water until well after fire is out.

**Unsuitable Extinguishing Media** Do not scatter spilled material with high pressure water streams.

#### Specific Hazards Arising from the Chemical

No other information available.

**Hazardous Combustion Products** Hydrocarbons. Carbon monoxide. Hydrogen sulfide (H<sub>2</sub>S) may be produced above 250° F (121° C).

#### Explosion Data

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** None.

#### Protective Equipment and Precautions for Firefighters

Wear self-contained breathing apparatus and protective suit.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Remove all sources of ignition.

### Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so.

Take up mechanically and collect in suitable container for disposal.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

**Storage** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

**Incompatible Materials** Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines** This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

### Appropriate engineering controls

Use in well-ventilated area. If user operations generate an oil mist, use process enclosures, local exhaust ventilation or other engineering controls to control airborne levels below the recommended mineral oil mist exposure limits (ACGIH TLV TWA: 5 mg/m<sup>3</sup>; ACGIH TLV STEL: 10 mg/m<sup>3</sup>; OSHA PEL TWA: 5 mg/m<sup>3</sup>).

### Individual protection measures, such as personal protective equipment

**Eye/face Protection** Safety glasses with side-shields.

**Skin and body protection** Suitable protective clothing.

**Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** When using, do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state	Thick liquid
Color	Translucent Red
Odor	Petroleum distillates
Odor Threshold	No other information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No other information available	
Melting point / freezing point	No other information available	
Boiling Point/Range	No other information available	
Flash Point	228 °C	
Evaporation Rate	No other information available	
Flammability (solid, gas)	No other information available	
Flammability Limit in Air		
Upper flammability limit:	No other information available	
Lower flammability limit:	No other information available	
Vapor pressure	No other information available	
Vapor Density	No other information available	
Relative density	0.87	
Water Solubility	No other information available	
Solubility in other solvents	No other information available	
Partition coefficient	No other information available	
Autoignition Temperature	No other information available	
Decomposition temperature		
Kinematic viscosity @40C	No other information available	
Dynamic viscosity	No other information available	
Explosive Properties	No other information available	
Oxidizing Properties	No other information available	

### Other Information

Softening Point	No other information available
Molecular Weight	No other information available
Volatiles, % Vol	No other information available
Density	No other information available
Bulk Density	No other information available

## 10. STABILITY AND REACTIVITY

### Reactivity

None under normal use conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal use conditions.  
Hazardous polymerization does not occur.

### Conditions to Avoid

Heat, flames and sparks.

### Incompatible Materials

Strong oxidizing agents.

### Hazardous Decomposition Products

Hydrocarbons. Carbon monoxide. Hydrogen sulfide (H<sub>2</sub>S) may be produced above 250° F (121° C).

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Principle Routes of Exposure** Skin contact. Eye contact.

**Product Information** Toxicity of this complete mixture has not been evaluated. If information is available on any of the individual components of the mixture, it is presented in this section. If no information appears in this section, there is no toxicological information available for any of the components of the mixture.

Chemical Name	ATEmix (oral)	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg ( Rat )	-	-
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	-	-	= 3900 mg/m <sup>3</sup> ( Rat ) 4 h

#### Information on toxicological effects

**Eye Contact** Contact with eyes may cause irritation.

**Skin Contact** Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

**Inhalation** None known.

**Ingestion** May be harmful if swallowed. Potential for aspiration if swallowed. Not an expected route of exposure. Aspiration may cause pulmonary edema and pneumonitis.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No other information available.

**Mutagenic Effects** No other information available.

**Carcinogenicity** The table below indicates if any agency has listed any ingredient of this product as a carcinogen. If no table appears, no toxicological information was found.

Chemical Name	ACGIH	IARC	NTP Carc	OSHA
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	Group 1	Known	-
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	-	Group 1	Known	-
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	-	Group 1	Known	-
Petroleum distillates, solvent dewaxed light paraffinic 64742-56-9	-	Group 1	Known	-

**Reproductive Effects** No other information available.

**STOT - single exposure** No other information available.

**STOT - repeated exposure** No other information available.

**Chronic Toxicity** Reports have associated repeated and prolonged occupational overexposure to petroleum based products with liver, kidney, brain and nervous system damage. There is, however, no reported human evidence that these effects occur when exposure is maintained below OSHA and ACGIH limits

**Aspiration hazard** No other information available.

#### Numerical measures of toxicity

If this product has been classified as a toxic mixture and numerical measures of toxicity have been calculated based on chapter 3.1 of the GHS document, that data will appear below. If no toxicity calculations appear below, no data is available.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

If ecotoxicity data is available on any of the components of this product, the data will be presented in the table below. If there is no table, there is no data available on any of the components of this product.

98.8 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

### Persistence/Degradability

No other information available.

### Bioaccumulative potential

If bioaccumulation data is available on any of the components of this product, the data will be presented in the table below. If there is no table, there is no data available on any of the components of this product.

### Mobility in Environmental Media

If mobility data is available on any of the components of this product, the data will be presented in the table below. If there is no table, there is no data available on any of the components of this product.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Waste Disposal Method**

Dispose of in accordance with Federal, state and local regulations.

#### **Contaminated Packaging**

Do not re-use empty containers.

#### **US EPA Waste Number**

Not applicable

#### **RCRA**

Subtitle C of the Resource Conservation and Recovery Act (RCRA) requires disclosure of any components of this mixture that are defined as hazardous waste by the Act. If any ingredients in this product are considered hazardous waste, they will be listed in the table below. If there is no table, there are no hazardous waste components in this product.

#### **California Waste Status**

If this product contains one or more substances that are listed with the State of California as a hazardous waste, data will be listed in the table below. If there is no table, there is no data available.

## 14. TRANSPORT INFORMATION

#### DOT

Not regulated

#### TDG

Not regulated

#### MEX

Not regulated

#### ICAO

Not regulated

#### IATA

Not regulated

#### IMDG/IMO

Not regulated

#### RID

Not regulated

#### ADR

Not regulated

#### ADN

Not regulated

## 15. REGULATORY INFORMATION

**International Regulations & Inventories**

All of the components in the product are on the following Inventory lists: China (IECSC).

Chemical Name	CAS-No	EINECS	ELINCS	TSCA	FIFRA	DSL	NDSL	PICCS	ENCS	CHINA	AICS	KECL
Olefin sulfide	RR-15590-8	-	-	Present	-	-	-	-	-	-	-	-
Benzenamine, 2-ethyl-N-(2-ethylphenyl)-, (tripropenyl) derivatives	68608-77-5	X	-	Present	-	X	-	X	-	X	-	KE-13700 X
Polybutene	9003-29-6	-	-	Present	Present	X	-	X	X	X	-	KE-28852 X
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol	91648-65-6	X	-	Present	present	-	-	X	-	X	-	-
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	X	-	Present	Present	X	-	X	-	X	-	KE-12546 X
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	X	-	Present	-	X	-	X	-	X	-	KE-12602 X
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	X	-	Present	-	X	-	X	-	X	-	KE-12553 X
Petroleum distillates, solvent dewaxed light paraffinic	64742-56-9	X	-	Present	-	X	-	X	-	X	-	KE-12609 X

X = Listed; XU = Exempt; - = Not Listed

<b>TSCA/FIFRA</b>	Does not comply
<b>DSL/NDSL</b>	Does not comply
<b>EINECS/ELINCS</b>	Does not Comply
<b>ENCS</b>	Does not Comply
<b>CHINA</b>	Does not Comply
<b>KECL</b>	Does not Comply
<b>PICCS</b>	Does not Comply
<b>AICS</b>	Does not Comply

**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) requires reporting of any component of this mixture that is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. If any of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

**Clean Water Act**

The Clean Water Act (40 CFR 22.21 and 40 CFR 122.42) requires reporting of any component of this mixture designated as a regulated pollutant by the Act. If any of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

**CERCLA**

The Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) and the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355) require disclosure of any component of this mixture that meets the reporting requirements of these Acts. If any of the ingredients in this product are regulated by one or both of these Acts, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements. There may be specific reporting requirements at the local, regional or state level pertaining to releases of this material.

**U.S. Regulations & Inventories****California Proposition 65**

California Proposition 65 requires disclosure of ingredients of this mixture that are designated as Proposition 65 substances. If any

of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

### U.S. State Right-to-Know Regulations

No regulatory requirements found. All components of this product are either listed on applicable inventories or are exempt from listing requirements.

### U.S. EPA Label Information

**EPA Registration Number** Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

### Regulatory Lists Searched & Other Sources of Information

ACGIH - American Convergence of Governmental Industrial Hygienists  
 ADN - European Agreement for International Carriage of Dangerous Goods by Inland Waterways  
 ADR - European Agreement for International Carriage of Dangerous Goods by Road  
 ANSI - American National Standards Institute  
 CAS - Chemical Abstract Services  
 CERCLA - Comprehensive Environmental Response, Compensation & Liability Act  
 CHINA - China Inventory  
 DOT - United States Department of Transportation  
 DSL - Canada Domestic Substances List  
 EINECS - European Union (EU) European Inventory of Existing Commercial Chemical Substances  
 IARC - International Agency for Research on Cancer  
 IATA - International Air Transport Association  
 ICAO - International Civil Aviation Organization  
 IMDG - International Maritime Dangerous Goods Code  
 MARTK - Massachusetts Right To Know List  
 NDSL - Canada Non-Domestic Substances List  
 NFPA - United States National Fire Protection Association  
 NIOSH - United States National Institute for Occupational Safety & Health  
 NJRTK - New Jersey Right To Know List  
 NTP - United States National Toxicology Program  
 OSHA - United States Occupational Safety & Health Administration  
 PARTK - Pennsylvania Right To Know List  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances  
 RCRA - United States Resources Conservation & Recovery Act  
 RID - European Agreement for International Carriage of Dangerous Goods by Rail  
 RIHSL - Rhode Island Hazardous Substance List  
 SARA - United States Superfund Amendments & Reauthorization Act  
 TDG - Canada Transportation of Dangerous Goods Act  
 TSCA - US Toxic Substances Control Act  
 WHMIS - Canada Workplace Hazardous Materials Information System

### Definitions

EC50 - Effective Concentration (Concentration of a compound where 50% of the expected effect is observed.)  
 LC50 - Lethal Concentration (The concentration in water that will kill 50% of the test animals within a specific period of time, usually 96 hours.)  
 OEL - Occupational Exposure Limit  
 PEL - Permissible Exposure Limits  
 STEL - Short Term Exposure Limit  
 TLV - Threshold Limit Value  
 TWA - Time Weighted Average  
 TWAEV - Time Weighted Average Exposure Value

**Prepared By** Regulatory Compliance Department

**The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information**



---

relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**