



**Section 1. Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product Identity** 104 High Heat Grease  
**Alternate Names** 104  
**Unique Formula Identifier**

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Intended use** See Technical Data Sheet.  
**Application Method**

**1.3. Details of the supplier of the safety data sheet**

**Company Name** Southwestern Petroleum Lubricants LLC  
3401 Quorum Drive, Suite 360  
Fort Worth, Texas 76137

**Customer Service:**

**1.4. Emergency telephone number**

**Emergency**

Polluxstraat 11      Telefoon:      +31 (13) 785 49 40  
5047 RA Tilburg      GSM:      +31 (6) 150 230 19  
The Netherlands      E-mail:      [info@stratson.nl](mailto:info@stratson.nl)  
Homepage:      [www.stratson.nl](http://www.stratson.nl)  
SWEPCO lubes:      [www.swepcolube.com](http://www.swepcolube.com)

**24 hour Emergency Telephone No.** 734 930-0009

**Section 2. Hazard identification of the product**

**2.1. Classification of the substance or mixture**



**Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Skin Sens. 1;H317                      May cause an allergic skin reaction.

**2.2. Label elements**

**According to REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006**



**Warning**

H317 May cause an allergic skin reaction.

: Contains 1,3,4-thiadiazole, 2,5-bis(octyldithio)-. May produce an allergic reaction.

**[Prevention]:**

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, eye protection, and face protection.

**[Response]:**

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P362+364 Take off contaminated clothing and wash it before reuse.

**[Storage]:**

No CLP storage statements

**[Disposal]:**

P501 Dispose of contents or container in accordance with local and national regulations.



### 2.3. Other hazards

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

{sec2otherhaz1}

## Section 3. Composition/information on ingredients

### 3.2. Mixtures

If the product contains substances that present a hazard according to Regulation (EC) No. 1272/2008 [CLP/GHS], they are listed below.

Ingredient/Chemical Designations	Weight %	Classification according to regulation EC No. 1272/2008*	Notes
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil-unspecified CAS Number: 64742-52-5	50 - 75	Not Classified	
Distillates Hydrotreated Heavy Paraffin CAS Number: 64742-54-7	50 - 75	Not Classified	
Alkyl quaternary ammonium bentonite CAS Number: 68953-58-2	5 - 10	Not Classified	
Carbamodithioic acid, dibutyl-, methylene ester CAS Number: 10254-57-6	1 - 5	Not Classified	

<sup>^CLP 31</sup> Reference EC No. 1272/2008 1.1.3.1. Notes relating to the identification, classification and labelling of substances (Table 3.1).

\*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures

### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.



- Eye** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
- Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
- Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Overview** Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

**Skin** May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to physician** Treat symptomatically.

### Section 5. Fire-fighting measures

#### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.  
Unsuitable extinguishing media: Do not use; water jet.

#### 5.2. Special hazards arising from the substance or mixture



Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.  
Avoid breathing dust, fume, gas, mist, vapors, spray.

### **5.3. Advice for fire-fighters**

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

**ERG Guide No.**

----

## **Section 6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Put on appropriate personal protective equipment (see section 8).  
Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### **6.2. Environmental precautions**

Do not allow spills to enter drains or waterways.

### **6.3. Methods and material for containment and cleaning up**

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.  
Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

### **6.4 Reference to other sections**

See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.



## Section 7. Handling and storage

### 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.  
See section 2 for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents and acids.  
See section 2 for further details. - [Storage]:

### 7.3. Specific end use(s)

No available information

## Section 8. Exposure controls / personal protection

### 8.1. Control parameters

#### Exposure

CAS No.	Ingredient	Source	Value
10254-57-6	Carbamodithioic acid, dibutyl-, methylene ester	ACGIH	No Established Limit
		DNEL Local Exposure	No Established Limit
		DNEL Systematic Exposure	No Established Limit
		National	No Established Limit
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil- unspecified	ACGIH	No Established Limit
		DNEL Local Exposure	No Established Limit
		DNEL Systematic Exposure	No Established Limit
		National	No Established Limit
64742-54-7	Distillates Hydrotreated Heavy Parrafin	ACGIH	No Established Limit
		DNEL Local Exposure	No Established Limit
		DNEL Systematic Exposure	No Established Limit



**Safety Data Sheet**  
**104 High Heat Grease**

**SDS Revision Date: 2/4/2024**

CAS No.	Ingredient	Source	Value
		National	No Established Limit
68953-58-2	Alkyl quaternary ammonium bentonite	ACGIH	No Established Limit
		DNEL Local Exposure	No Established Limit
		DNEL Systematic Exposure	No Established Limit
		National	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m<sup>3</sup>OSHA PEL and 5 mg/m<sup>3</sup>ACGIH.

**8.2. Exposure controls**

- Respiratory** If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
- Eyes** Protective safety glasses recommended
- Skin** Avoid skin contact. Protective gloves recommended.
- Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
- Other Work Practices** Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

**Section 9. Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

- Appearance** Color: Off-White to Amber Physical State: Lubricating Grease
- Odor** None
- Odor threshold** No available information
- pH** 7.8



<b>Melting point / freezing point</b>	Non-Melt
<b>Initial boiling point and boiling range</b>	No available information
<b>Flash Point</b>	°F °C, Test method: (OPEN cup)
<b>Evaporation rate (Ether = 1)</b>	Nil
<b>Flammability (solid, gas)</b>	No available information
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit:</b> 0.9 <b>Upper Explosive Limit:</b> 7.0
<b>Vapor pressure (Pa)</b>	No available information
<b>Vapor Density</b>	>5
<b>Relative Density</b>	0.95
<b>Solubility in Water</b>	Not miscible in water.
<b>Partition coefficient n-octanol/water (Log Kow)</b>	No available information
<b>Auto-ignition temperature</b>	No available information
<b>Decomposition temperature</b>	No available information
<b>Viscosity (cSt)</b>	No available information
<b>VOC Content</b>	zero

## 9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

## Section 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No available information

### 10.4. Conditions to avoid

Excessive heat and open flame.

### 10.5. Incompatible materials

Strong oxidizing agents and acids.

### 10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.





**Section 11. Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity**

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Carbamodithioic acid, dibutyl-, methylene ester - (10254-57-6)	No data available.	No data available.	No data available.	No data available.	No data available.
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil-unspecified - (64742-52-5)	> 5,000.00, Rat - Category: NA	No data available.	No data available.	5.70, Rat - Category: NA	No data available.
Distillates Hydrotreated Heavy Paraffin - (64742-54-7)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.
Alkyl quaternary ammonium bentonite - (68953-58-2)	5,000.00, Rat - Category: 5	No data available.	No data available.	12.60, Rat - Category: NA	No data available.



**Safety Data Sheet  
104 High Heat Grease**

**SDS Revision Date: 2/4/2024**

**Carcinogen Data**

CAS No.	Ingredient	Source	Value
10254-57-6	Carbamodithioic acid, dibutyl-, methylene ester	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil-unspecified	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
64742-54-7	Distillates Hydrotreated Heavy Paraffin	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
68953-58-2	Alkyl quaternary ammonium bentonite	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	---	---
Acute toxicity (dermal)	---	---
Acute toxicity (inhalation)	---	---
Skin corrosion/irritation	---	---
Serious eye damage/irritation	---	---
Respiratory sensitization	---	---
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity	---	---
Carcinogenicity	---	---
Reproductive toxicity	---	---
STOT-single exposure	---	---
STOT-repeated exposure	---	---
Aspiration hazard	---	---

**11.2 Information on other hazards**

**11.2.1. Endocrine disrupting properties**

This product contains no endocrine disrupting chemicals.

**Section 12. Ecological information**



**Safety Data Sheet**  
**104 High Heat Grease**

**SDS Revision Date: 2/4/2024**

**12.1. Toxicity**

No additional information provided for this product. See Section 3 for chemical specific data.

**Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	3hr IC50 Bacteria mg/l	Biodegradability %
Carbamodithioic acid, dibutyl-, methylene ester - (10254-57-6)	No data available.	No data available.	No data available.	---	---
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil-unspecified - (64742-52-5)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00, Scenedesmus subspicatus	---	---
Distillates Hydrotreated Heavy Paraffin - (64742-54-7)	>100.00, Pimephales promelas	>10,000.00, Daphnia magna	100.00, Pseudokirchneriella subcapitata	---	31.00
Alkyl quaternary ammonium bentonite - (68953-58-2)	No data available.	No data available.	No data available.	---	---

**12.2. Persistence and degradability**

There is no data available on the preparation itself.

**12.3. Bioaccumulative potential**

No available information

**12.4. Mobility in soil**

No available information

**12.5. Results of PBT and vPvB assessment**

This product contains no PBT/vPvB chemicals.

**12.6 Endocrine disrupting properties**

This product contains no endocrine disrupting chemicals.

**12.7. Other adverse effects**

No available information

**Section 13. Disposal considerations**



**13.1. Waste treatment methods**

Observe all federal, state and local regulations when disposing of this substance.

**Section 14. Transport information**

	<b>ADR/RID</b>	<b>IMO / IMDG (Ocean Transportation)</b>	<b>ICAO/IATA</b>
<b>14.1. UN number</b>	Not Regulated	Not Regulated	Not Regulated
<b>14.2. UN proper shipping name</b>	Not Regulated	Not Regulated	Not Regulated
<b>14.3. Transport hazard class(es)</b>	<b>DOT Hazard Class:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>IMDG:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>Air class:</b> Not Applicable <b>Sub Class:</b> Not Applicable
<b>14.4. Packing group</b>	Not Applicable	Not Applicable	Not Applicable

**14.5. Environmental hazards**

Marine Pollutant: No;

**14.6. Special precautions for user**

No available information

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not Applicable

**Section 15. Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU Legislation**

REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006 of



the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). REGULATION (EC) 1272/2008 on the classification, labeling and packaging of substances and mixtures (CLP).

**National Legislation**

None noted.

**15.2. Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out.

Chemical Name (CAS Number)	US TSCA	Australia AICS	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EN NLP	Mexico INSQ
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil-unspecified (64742-52-5)	Yes	Yes	Yes	Yes	No	No	No	Yes
Distillates Hydrotreated Heavy Paraffin (64742-54-7)	Yes	Yes	Yes	Yes	No	No	No	Yes
Alkyl quaternary ammonium bentonite (68953-58-2)	Yes	Yes	Yes	Yes	No	No	No	No
Carbamodithioic acid, dibutyl-, methylene ester (10254-57-6)	Yes	Yes	Yes	Yes	No	No	No	No
1,3,4-thiadiazole, 2,5-bis(octyldithio)- (13539-13-4)	No	Yes	Yes	Yes	No	No	No	No

Chemical Name (CAS Number)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSCL	Japan PRTR 1	Japan PRTR 2	Philippines PICCS	New Zealand NZIOC
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil-unspecified (64742-52-5)	Yes	No	No	No	No	No	Yes	Yes
Distillates Hydrotreated Heavy Paraffin (64742-54-7)	Yes	Yes	No	No	No	No	Yes	Yes
Alkyl quaternary	Yes	No	No	No	No	No	Yes	Yes



**Safety Data Sheet  
104 High Heat Grease**

**SDS Revision Date: 2/4/2024**

<b>Chemical Name (CAS Number)</b>	<b>China IECSC</b>	<b>Japan ENCS</b>	<b>Japan ISHL</b>	<b>Japan PDSCL</b>	<b>Japan PRTR 1</b>	<b>Japan PRTR 2</b>	<b>Philippines PICCS</b>	<b>New Zealand NZIOC</b>
ammonium bentonite (68953-58-2)								
Carbamodithioic acid, dibutyl-, methylene ester (10254-57-6)	Yes	Yes	No	No	No	No	Yes	Yes
1,3,4-thiadiazole, 2,5-bis(octyldithio)- (13539-13-4)	Yes	Yes	No	No	No	No	Yes	Yes

**Section 16. Other information**

**SDS Revision Date**

2/4/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

Not Applicable

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders



**Safety Data Sheet**  
**104 High Heat Grease**

**SDS Revision Date: 2/4/2024**

**End of Document**